

INSTALLATION INSTRUCTIONS

ICEMAKER ADAPTER KIT (P/N 629083301Q0568)

Table 1. Applicable Models

Dispenser	Ice Maker
ED300	Hoshizaki Model Series KM800

Read and understand these instructions thoroughly before installing this ice maker adaptor kit. Retain these instructions as part of your equipment manual.

Table 2. Loose Shipped Parts

Item No.	Part No.	Name	Qty.
1	620027707	Ice Maker Adapter Lid	1
2	22128	Ice Maker Mounting Bracket	2
3	50904	RTV, 3-oz. Tube	1
4	20001Q0568	Manual Fill Cover	2
5	70171	No. 8 X 3/8" Long Screw	4
6	70226	No. 10 X 3/4" Long Sheet metal Screw	12
7	91957	Cleaning Caution Label	2
8	50136	Gasket, 1/2" Wide X 1/8" Thick X 55" Long	1
9	620909901Q0568	Installation Instructions	1



WARNING:

Disconnect power to the unit before installing the adaptor following all lockout/tag out procedures established by the user. Verify that all the power is off to the unit before performing any work.

Failure to comply could result in serious injury, death or damage to the equipment.



WARNING:

All ice baffle plates and bin stats, if included or recommended in this kit, must be installed as directed in this manual or the equipment manufacturer's instructions.

Failure to comply could result in serious injury, death or damage to the equipment.



WARNING:

All of the attachment screws and plates must be installed as directed in this manual.

Failure to comply could result in serious injury, death or damage to the equipment.



WARNING:

The dispenser must be secured with 3/8-16 bolts (6) to the counter before installing this ice maker adapter kit. Refer to the installation manual and Figure 2 for the counter mounting template.

Perform the following procedure to install the adapter.

- 1. Place the ice maker adapter lid (item 1) on top of the Dispenser and position it flush with the rear and sides of the Dispenser as shown in Figure 1. Secure the Lid to the Dispenser with four Screws (item 5).
- 2. Locate front of the ice maker flush with the rear of the Dispenser lid as shown in Figure 1. Seal the ice maker to the lid as follows:
 - A. Run a bead of RTV (item 3) around the opening in the lid and inside the perimeter of the ice maker outline so that the ice maker sets on the RTV.

Revision: C






Figure 1. Kit Installation

- B. Set the ice maker on the lid and position it as required.
- C. Wipe away all excess RTV.
- Using the ice maker Mounting Brackets (item 2) as templates, drill 0.136" diameter holes into the ice maker cabinet and dispenser lid. USE CAUTION SO AS NOT TO DRILL ANY ICEMAKER COMPONENTS (CONDENSER, TUBING, ETC.). Secure the brackets using the No. 10 sheet metal screws (item 6) provided.
- 4. Follow the Ice maker Manufacturer's instructions to complete installation of the Ice maker including the bin thermostat if so equipped or required.

A


CAUTION:

The bin thermostat location must not interfere with the agitator rotation.

- 5. Locate the Cleaning Caution Label (item 7) and the Gasket (item 8) on the Manual Fill Covers (item 4) as shown in Figure 1.
- 6. Locate the manual fill covers in position over the openings on either side of the Ice maker as shown in Figure



1. With the gasket compressed against the ice maker cabinet, use the cover as a template to drill 0.136" diameter holes into the adapter lid. Secure with the No. 10 sheet metal screws.



NOTE: Recommended counter opening size 12" x 15" for utilities and beverage tubing. Opening can be located anywhere within the shaded area.

Figure 2. Mounting Template